



NovoTouch with OPS Module (VKW30-i7)




NovoStage Security

Enjoy the simplicity and flexibility of secure wireless collaboration from any Windows™ device without any additional hardware thanks to NovoStage.

This Windows™-based software allows full BYOD sharing by turning any Windows™ device into a collaboration platform. Getting meetings off to a smooth start has just got easier.

NovoStage is the answer to the rapidly evolving challenges and needs of wireless collaboration. Whether in a corporate or educational setting, remote work has necessitated greater IT innovation in the collaboration space. This easily deployed software offers the necessary simplicity and ease-of-use coupled with top-notch security to meet the demands of modern meetings.

This agnostic platform is part of the NovoEcosystem and delivers on the four guaranteed principles: simplicity, security, integration and centralization. NovoStage offers wireless sharing to the main display from any device within a WiFi network and is protected by a VPN and a firewall installed by your IT team.



CHALLENGES OF MODERN MEETINGS

Since Vivitek has prioritized data protection and network security in all its product lines, NovoStage provides an additional level of security. All data transmitted is encrypted using the AES-256 encryption standard which means it is protected from unauthorized access. Vivitek's products comply with ISO 27001 - a certification of international standard for information security management which ensures the peace of mind for users and IT Network managers alike.



AES 256 bit encryption

Safeguard your data with industry's highest standard of security and data protection



QR code

Easily connect to NovoStage using a QR code that regenerates after each session



Moderator GUI Control

Remain in control over the attendees with the pause/play Moderator GUI Control



Meeting ID

Simply connect via a meeting ID that automatically regenerates after every session



PIN / AirPlay Code

Moderator can enable a PIN or AirPlay code which regenerates after each session




LauncherPlus

Enjoy the additional level of security in your connection offered by our LauncherPlus

NovoStage Software Architecture

You can connect up to 4 devices (Client Devices) to the Main Display thanks to NovoStage's many-to-one system architecture. Once all the Client Devices and NovoStage are connected to a mutually accessible network, the Clients transmit real-time data packets via TCP transmission to the Main Display on the Local Area Network (LAN).

The transmission of the data packets is encrypted with an Advanced Encryption Standard (AES) using a 256-bit key to ensure the highest security standard.



Advanced security features include:



Meeting ID and QR Code

that regenerates after the session is over.



Meeting PIN

that is required to connect to the main display.



Moderator control

of the main display.

USB Launcher

Vivitek offers a choice of two Launchers to create a direct laptop connection to NovoStage without a full software installation.



LauncherPlus (USB- A)

The LauncherPlus connects to any laptop, establishing a direct Wi-Fi connection to any NovoConnect device. Intended for guests, LauncherPlus streamlines and secures the connection process with zero impact on the existing network. In addition, the network connection from the USB Launcher to NovoStage is AES-256 bit encrypted to guarantee the safe transmission of the data.



LauncherONE

LauncherOne is specifically designed for companies with strict Data Loss Prevention (DLP) and IT security policies that lock USB ports for storage devices and do not allow corporate network-based wireless presentation solutions. LauncherOne includes a secured physical HID device and an authorised portable driver. This can be managed and deployed by IT/Security services.

We believe that wireless collaboration technology should be simple, private and secure. NovoStage embodies these beliefs with its ease of use and deployment, as well as its world-class built-in security features such as the AES-256 bit content encryption. It is also fully compliant with DLP policies and GDPR guidelines.



**FOR MORE INFORMATION,
PLEASE CONTACT:**

Vivitek EMEA

Zandsteen 15 | 2132 MZ Hoofddorp | The Netherlands

tel: +31 20 800 3960 | fax: +31 20 655 0999

e-mail: info@vivitek.eu

website: www.vivitek.eu | www.novoconnect.eu